APPLICATION FOLDER AND EVENT RECORD

File location of other materials submitted with this application:_

4					1/14/73	1/14/03	6/4/13	l l	MAY 1 0 1973 F	1
					Completed Point Source Rata Sheet and I beech in Event Revord	Completed PACN and Recommended T status and forwarded to Co.O.	Combleted Provinces UPERIT FORK	Requested more in to	RECORD 'ED	EVENT
					De.	Tho	C_{α}	£6		

SUN OIL CO, OF PA, G. A. Bruce Facility Name Person to Contact_ St. Rt. #7, So. of Matamoras P.O. Box #186 Facility Address_ Mailing Address_ Grandview Washington 45767 45767 New Matamoras Ohio City, Village, or Township County City Zip State Premise Number 01 84 00 0132 614 865-3456 Telephone Area Code INITIAL STATUS REVISIONS TO STATUS AND TYPE TYPE SOURCE DATE PERSON TO CONTACT CODE EFFECTIVE DATE EFFECTIVE DATE EFFECTIVE DATE NUMBER RECEIVED (If different from above) EFFECTIVE P-001 3/26/73 DELETED T 001 11 T 002 Prefix for Source Numbers: Type Codes: Status Codes: B — Boiler N-Incinerator1 — Operate A - Approved P - Process 2 — Construct or Modify C - Control Equipment D — Denied R — Spray Booth S — Stack 3 — Variance R - In Review

F - On File

T

T — Storage Tank

SUN DIL CO. UF PA. ST. RT. #7, SO. OF MATAMORAS GRANDVIEW

UHIO 45767

WITHDRAWN JUN 28 1976

FOR:

APPLICATION NO

0684000132 1003

EQUIPMENT DESCRIPTION

20,000 BBL. FLOATING RUDF STURAGE TANK

COMPANY ID

20,000 BBL. STORAGE TANK

ISSUE DATE

05/21/76

EFFECTIVE DATE

07/05/76

(SEE ENCLOSED LETTER FOR EXPLANATION)

Mille Williams

NED E. WILLIAMS, P.E. DIRECTOR

TO: SUN DIL CO. UF PA, ST. RT. #7, SD. OF MATAMORAS GRANDVIEW

OHIO 45767

FOR:

APPLICATION NO

0684000132 T003

EQUIPMENT DESCRIPTION

20,000 BBL, FLOATING ROOF STORAGE TANK

COMPANY ID

20,000 BBL, STORAGE TANK

ISSUE DATE

05/21/76

EFFECTIVE DATE

07/05/76

(SEE ENCLOSED LETTER FOR EXPLANATION)

NED E. WILLIAMS, P.E. DIRECTOR

FOR OFFICIAL USE ONLY,
Premise No. 4/00/0132
Source No. 4/003

APPLICATION FOR PERMIT

STORAGE TANKS

	1.	Facility Name SUN (er					
		Facility Address	TATE ROUTE	7	Mailing Ad	Mailing Address P. O. Box 39							
		NEW MATAMORAS (Ohio) Wash. 45767 Greensburg Penna.											
		City, Village or Township	Co	unty Zip				15601 zip					
		V			Telephone .	Area Code	8877479911	Number					
	2.	This Application is submitted for:											
		□ Permit to operate an existing source X Permit to construct a new source or modify an existing source											
		□ Variance from regulation(s) for months											
	3.	Check-list of information to accompany this application:											
		🎽 Plans and draw	Plans and drawings Emission tests or calculations										
		□ Process flow diagram □ Compliance time schedule											
	4												
	4. 5	Material stored in to	name or number	(Attach compos	sition) Gas	oline	Year installe	Regular					
	0.	Producer Sun C	Tank identification: Name or number										
		If material stored in	If material stored in tank is not photochemically reactive do not complete the remaining questions.										
	6.	Tank capacity: 20,000 bbl. (Indicate units)											
	7.	Tank shape: □ Spherical											
		Tools dimensions. Disaster, 60' was at 40' and a second											
	δ. 0	Tank dimensions: Diameter 60' Height 40' Length Width Tank material of construction: X Steel											
		Tank paint: Chalking white Ma Lt.grey/blue Aluminum Dark color Other, specify											
		Tom points, a convenient											
	11.	Type of tank: (Check ☐ Fixed roof ☐ Heated	X Floating roo	of Pressi	ire □ Var	iable vapor er. specify	space □ Open	top					
	12.	☐ Heated ☐ Insulated ☐ Underground ☐ Other, specify If the tank has floating roof, complete the following: Type of roof: ☐ Double deck ☐ Pontoon ※ Other, specify Steel Floating Pan											
		Type of roof:	\square Double deck	□ Ponto	on 🗴 Othe	er, specify	Steel Floati	ng Pan					
		Type of seal: Type of shell constru	X Single	□ Double	e 🗆 Oth	er, specify							
	10	Type of shell constru If other type of roof	ction: Rivet	ed XX Welded	red Float	er, specify							
	13.	Maximum filling rate:	gal/min 2	.000	7 00 11000								
	15.	Type of filling:	□ Splash	S Subme≀	rged								
	16.	Type of filling: Filling schedule:	gal/day	00,000 bi-	weekly								
	17.	Average outage: Feet Temperature of stored Vapor pressure of sto	21		Tank throug	ghput: gal/	yr. <u>2,610,000</u>						
	18.	Temperature of stored	materials: Mir	$\frac{28}{15}$	°F N	Maximum	82	° F					
	19.	Vapor pressure of sto	red materials:	<u> </u>	psia	@ <u> </u>)()	° F					
	20.	Vent valve data: No	t Applicab	1	1								
		Type	Number	Pressure of Vent	Vacuum		Discharging to:						
		Qbi-sti		Setting	Setting	Atmosphere	e Vapor Control	Flare					
		Combination											
		Pressure											
		Vacuum											
		Open											
NA	21.	Check types of vapor of			□ Adsorber	□ Absorber	□ Compression	□ Cooling					
		Loading facilities for											
		Maximum capacity of fa		*	190,000								
	43.	23. Vapor loss during loading discharged to: 🕱 Atmosphere 🗆 Fuel (as system 💢 Vapor recovery system Not Applicable											
		Submerged load in	a bu dran		tency of neco.	_1, 2,500m							
	Imp	ortant Note : If emiss	ions from this	source have be	een determine		tests, material bons with applicati						

PERMIT APPLICATION CHANGE NOTICE

EDHIP DESCR : 20.000 BRL. FLOATING RUDE STORAGE TANK FOULP ID : 20.000 BRL. STORAGE TANK

01/18/74

SIN OTL CU. OF PA.

1

0684000132T003

FACILITY NAME

APPLICATION NUMBER

A. Reason for change (check as appropriate):

1. Initial recommendation of application status:

	a. Initial status is A A A R CIRCLE ONE	DATE OF RECOMMENDATION	X X X X X X X X X X X X X X X X X X X	X
		X X X X X X X X X X X X X X X X X X X		
2.	Change recommended	X X X X X X X X X X X X X X X X X X X		
3.	Change company ID equipment to			
4.	Change description of equipment	to:		
5.	Change type of application to:	(1) Operate	(2) Const. or Mod.	(3) Variance
6.	Change submission date of appli	cation to:		
7.	Change application number to:			
8.	Change facility telephone number	rto:AREA CODE		NUMBER
10.	Change facility name to:			
11.	Change facility address to: 2			
			STREET	
	1	CITY, VILLAGE, OR TOWNSHIP	COUNTY	ZIP
12.	Change mailing address to:		STREET	
		CITY	STATE	ZIP

B. Applicability of change to other applications or permits for the same facility.

If you have checked block 8, 9, or 12 above <u>and</u> if this change applies to all applications and permits for this facility, place a check in this block. If the change applies to this application or permit only, <u>do not</u> check this block.

C. This section provides for the identification of a source which requires an Emergency Action Plan.

Check here if this source emits .25 tons per day or more of any air contaminant.

This block applies to the person to contact. The data given in this item will only be applied to the specific application number shown at the top right of this form unless Block B is marked. When Block B is marked the same change will be applied to all applications and data sheet having the same premise number.

² If the facility name or facility address is changed, the same change will be applied to all applications and data sheets from the same facility location.

0184000132/1003

This 20000 bb! Flooting Roof Storage Tank has been built prior to approval of Application for Permit to Constant. This application will be ignored and charged to an Application For Permit to operate.

1/14/74 This

OHIO ENVIRONMENTAL PROTECTION AGENCY

COMPLIANCE UNDERSTANDING TO ACCOMPANY APPLICATION FOR PERMIT TO CONSTRUCT
OR MODIFY AN AIR CONTAMINANT SOURCE

NOTE:

This form constitutes part of an application for a permit to construct or modify an air contaminant source, and must be read carefully, signed, and submitted to the Director before such application can be considered complete.

This form constitutes part of the application

RECEIVED

SUN OIL COMPANY OF PENNSYLVANIA

MAY 1 J 1973

(Name of source owner)

for a permit to construct or modify the following air contaminant source, (describe air contaminant source for which application is made):

l - 20,000 bbl. Covered Floating Roof Gasoline Storage Tank

I hereby certify that I am the individual responsible, under Regulation AP-9-02(b)(3) of the Ohio Environmental Protection Agency, for the submission of this application on behalf of the above-named source owner.

I understand that if this application is granted, and a permit to construct or modify is issued, it shall not constitute assurance by the Ohio Environmental Protection Agency that the air contaminant source described herein will be able to operate in compliance with application law, or that such source will, upon completion of construction or modification, be granted a permit to operate.

I further understand that no new or modified air contaminant source may be placed in operation until it has applied for and obtained from the Director either a permit to operate or a conditional permit to operate pursuant to the requirements of AP-9-03.

Signature of authorized official

Name and title of authorized official

Stewart W. Nystrom, Manager

Central Region Marketing Facilities and Distribution

Address 3530 Bigelow Boulevard

Date May 4, 1973

Pittsburgh, Penna. 15213

(This part of the application need not be signed by the contractor performing the construction or modification).

AP-PS-10 11/15/72

OHIO ENVIRONMENTAL PROTECTION AGENCY

CONSTRUCTION SCHEDULE

To Accompany Application For Permit-To-Construction
Or Modify An Air Contaminant Source

MAY 1 J 1973


This Form Constitutes Part Of The Application Of:
FACILITY NAME: SUN OIL COMPANY OF PENNSYLVANIA
ADDRESS: State Rt. 7, New Matamoras (Washington Co.), Ohio 4576
For A Permit-To-Construct Or Modify The Following Air Contaminant Source:
IDENTIFICATION:Gasoline Storage Tank
DESCRIPTION: 20,000 bbl. Covered Floating Roof
· ·

The Construction Or Modification Of The Above Air Contaminant Source Will Follow The Time Schedule Described Below:

DATE

Equipment Ordered Approximately October 1, 1973
 Construction Begun Approximately November 15, 1973
 Construction Finished Approximately June 1, 1974
 Compliance Verified *

^{*} Unless written exemption is obtained from the Director, this demonstration requirement shall be by performance testing of the source in accordance with those procedures approved by the Director. For exemption from this requirement, contact the Agency to whom you submitted your application.



MR J.D. LANGASTER
SUN OIL COMPANY OF PENNSYL
POBCX 39
GREENSBURG, PENNSYLVANIA 15601
Dear Mr Lancoster.
I have received your application for a Permit-to-
Construct for the selection of a tank
with a flooting roof. Before I can approve this
application I will need more information about the
flooting roof which is being intolled. a
Description of the territory of the
Verso sectional receir of the tank with the
soof installed should be adequate description
Places submit the above requested information
as part of your served application I will
complete the processing of your application as soon
The state of the s
The contraction is vicewed.
Sincerely
£ W0008
2 Weseld
·

190,000 maximus serin Rete 2,610,000 glyen x type = Yound Duigo Rote 1000 1000 gal Throughout flow 1000gol thoughtfort bay

OHIO ENVIRONMENTAL PROTECTION AGENCY POINT SOURCE ENGINEERING DATA SHEET


		7		7	_	1 ==	
	151	-				15]	4
0	16]	Prim.				16	4
	17]	 	Part.		_	17	4_
	8	1	Con-	l		8	P
	150	Sec.	Equip.	1		19	
0	8			1		20	
	21			1	3	21	1
0	22	Prim.		İ	132	22	_
	23	†	SO ₂		-	223	1
	324	 	Coñ.		-	3 24	١.
		Sec.	Equip.			42	S
\bigcirc	25 2	1				25 7	-
<u>~</u>	26		ļ	4		26	4
	27 7	۱.			Kart	27	4
<u></u>	28	Prim.	NO X		22	8	
	33		Con			29	
	원]_	Equip.			8	1
	ည	Sec.	;			22	1
£3	32	Ī		 .		32	- N
	ည္သ			1	-	233	1
	34	Prim.	HC		-	34	1
C 5	4 35		Con.	ļ	To X		-
Acres 649		ļ	Equip.		12.5		-
	36	c				36	
	37	Sec.		ĺ		37	
Ø	38]		88	.] н
	39	Prim.			*CONTRACTOR	ယ္တ	1 '''
	40		со			8	1
(2)	41		Con.		en	41	1
	1 42		Equip.		0	44	1
		Sec.	-quipe		-	42 4	-
<u>⇔</u>	43 4	500.			-	43 '	-
	44		L			44	
	45					45	
	46	Comme	nte			46	C
	47	Comme	IIIIS			47	1
	80					₽	1
	49				6	49	1
	8					55	Pa
	51			1	-	5	
					Ō		SC
	52 5				0	52	NO
	53				800	53	H
	54				0	54	CC
	55					55	Γ
	56					56	1
	57				0	57	Pa
	88					58	
	59			}		59	ł sc
	<u>-8</u>				~		ł
	061			1	0	60 61	
						1	NO
	62	l			-	62	
	63				ठ	63	
	64					64	
_ [65 66				L	65	н
	99				0	99	1 '''
	67				ا	67	†
	68				 	7 68	co
	8 69				O	8 69	1
	9 7					9 7	-
	70 7				Cather (City	0	1
	71					71	1
	72					72	∇
4	٧,					73	
4	74	Engine	er		4	74	En
	75				8	757]
3	76				7	76	
2	6 77	Year of			7	6 77	Ye
>	7 78	Record	-		-	7 78	Re
_	8 79	Action			יסר	8 79	Αc
ם	980					- %	
<u></u>		Card		ĺ	4		Ca
						-	

	15		1	٦		15	T	
	16	_				16	1	
	17	_		-		17	Stack	
	∞	Part.			0	18	Helght (feet
	19 20	1				19	Stack	
						123	Dia. (fee	110
3	21 22 23		_		0	21	7 5150 (100	.,
	22					22		
	23]				23	Stack	
	24	so ₂				24	Temp. ((F)
	25				0	25	1	
	26]	M					
<u></u>	27	1	SSI	-		27		
T'0	28		ō			28	Figw Ra	te
	29		m			138	(ft°/min)
	8]	TS			絽		
	31	NOX	1			31		
	30 31 32 33	, X .	15	1	0	32	1	
	$\frac{\omega}{\omega}$		S			83		
	34 35]	0		Contra	34	1	
10			Z S		<u>_0</u>	35	Havimo	
	36		EMISSION ESTIMATES (TONS/YEAR)			36	Maximum Design	'
	37]	EA			37		
	띯	нс	z			딿	1000	
******	ಜ್ಞ				0	33		
į	8	1				8		
ers	41 42	1				41	1	
0	42	ļ				42	Normal	
	43 44					23	Operating	g
	4				cours.		Kate	
	45 /				UA			
	<u>8</u>	co				8		
	47 /	ļ			7		<u> </u>	
1	48 4	ļ]	0		111	
2	49 50	Part.	 		2			
	0 51	SO ₂	Z 5		8			SCC
0	1 52	NO×	E				111	
ca i	53	HC	돌음		()	25	-	
0	54	co	METHOD			35	IV	
Ť	55			1				700
\neg	56				15.		Dec-Feb	Z
0	57	Part.	_		W,	57		ANNUAL THRUPU
	58		2			58	Mar-May	
	59	so ₂	CONTROL		N	59	June-	두
0	ප		P		IN	60	Aug.	Ę
]	61	NOX	1		U	61	Sept	Š
	62	,x	뒤		is	62	Nov.	%
O	63		Ω		B	63		SC
]	64		N.		angle.	64	ur/ day	운문
	65	нс	EFFICIENCY (%)		-3	65	days/wk	ES
0	99		(%)				weeks/	SCHEDULE
	67				30			a
	88	co		1	16 117 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 Max Design Rate O	%Space		
O	69 7	177					Heat	
रक्तात्व	70 7	////	//		$ \mathcal{L} $		Confid	77
		////	//		\vdash	. bernet	////	ι /,
-	-27	$\gamma\gamma\gamma$	7		_	2	7777	7
<i>F</i> **	<u>(1)</u>	<u>.</u> .			17:1	<u></u>	_ :	
23	47	Engineer				7	Enginee	r
- 1	75 76							
7	6 77	Year of				~	Year of	
1	7 78	Record			N Jacon		Record	
U	8 79	Action			יטר		Action	
<u> </u>	80	Card					01	
_		Card			L	_ i	Card	

1	1	+	
-	15 16	-	
	1 6	-	
	17 18	Part.	
	19		
12	20	-	
0,	21 22	<u></u>	4
	22 23	1	
	1	1	
包	25	so ₂	>
	26 ;		
1	24 25 26 27 28	1	ALLOWABLE EMISSIONS (TONS/YEAR)
2	12	 	B
	38	t	l m
	ω.	иох	SIN
	32	-	1015
	33	-	S.
<u>E</u>	<u> </u>		10i
<u> </u>	5 36		-S.R.
	37		13Y
	38	нс	Ŕ
	39 4		
	10/4		
·~	1 42		
	₽		1
	44		
	45	со	
	47		
	8		
13	49		
	50 51	Part.	2
	27		CONTROL
	2 53 5	so ₂	ROL
	4	иох	RE
	55 5	Х	190
	56 57	нс	LA.
	7 58		100
	59	CO	
-	90	Sulfur	
~	61 62	Conten	1%
0	63		
	64	Ash	
O	65	Conten	1%
	66 67		
	7 68	Heat Conten	ıt
	69	106 BT	
0	70	777	.,acc
	71/7		//
T	2 73	777	
6-4	17	Engine	er
3	75		
	9	Year o	1
~3	<u> </u>		
76	7	Record	
P 2	7 78		
7	7	Record	

	M	w	1	
	7	42	1	
	0	5	1	
			Premis	e
	0	6	Number	
	0	7		
	~	00		
	W	9	1	
	Ü	F	1	
		<u> </u>	 	
	ASSESSED NO.	=		
	♂'	12	Source	
	0	13	Number	
-	C.	13		
	<u>82</u>	14]		
ļ		15		
	2	16	Compan	v
	2	17	Name	,
		18	Nonic	
	0	19		
1	1	20		
1	r) 21		
-		12		
1	0	23		
ļ	\Diamond	24		
an common an	•	25		
-		26		
1	0	27		
-	T	28		
-	- 1	3 29		
1	O	9 30		
-	<u> 20</u>	0 3		
	-63			
1		32		
1		33		
		34		
-		35		
A		8		
-		37		
ŀ		38		
-		33	•~	
ŀ		94		
-		40 4		
L		41		
1		42		
L		\$ 3		
L		44		
l		45		
ľ		46		
t		47		
ŀ		48		
t		3 49		
ŀ		95		
1		50 5		
L		51		
1		52		
_		55		
L		54		
	d	55	Ownersl	1 ip
ŀ	and the	56		
F	20	57	610	
٢	10	7 58	SIC	
۲	W	8 59		
-	~ "	-	IPP	
1		60 6	Proces	c
F	<u> </u>	616	110085	·
L	-0339	1 62 63	Zone	
	~7			
	<u>F</u>	64 65		
	2	65	Horl-	_
	S	66	zontal	UTM DAT.
ľ		67	km	7,0
Γ	ナ	68		Ħ
	W	8 69	1/0*41.	
۱		9 7	Verti-	
	<u> </u>	70[7	cal km	
ĸ	~~	-	F. 163	
F	10	2		
F	\perp	ယ	Engl	
Ľ	64	7.4	Enginee	•
L	S	75		
L	-3	76	Year of	
ſ	K.	77	Record	
ſ		78	Action	
٢	ס	79		
-				

Card



FLORTING ROOF TANK FOR SUN CIL CONTAINS LOUISVILLE

VVAE 3003 3005 HERR CHERRY OFF HVIL TVAINES

Category boil & applied opening

CONTROL OF MANAGEMENT SHOW

CONSNICE

BA CORLOWER

THE DESCRIPTION OF THE COURT ON COURSE HER SHELL HAVE

ON.

Brancosko * MANAGORIA - CA COCOCO PRODES PRINCIPA CONSMILA

MORE A SUM FOR SECURIOUS OF SERIES AND ANGLOS CHEES SECURIOUS CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRIT

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BRITINGS

CM- BR

10 2 2 3 2 3 2 3 3 3 4 4 5 5 5 5 5

03314

distrib 3 8 98 - Edition to entire visit

THE STATE OF THE S

DECKED OF DECKERS 9:8*303G 40 POLIS

COTONN METT NETW BRYLES ELUMB COLUMN BEFORE METAL STON 02314

> HULLING OBERLAYION PÉE DACES EDEL DECK

7 = IMONAM ONNIVOTA

181.0-188 . S b OF ところったり 100 01-17 ARC ON OUTS NOTISING TOM

TRACE TRUBBLE

		C		1.5	4.7	229A NO 318	V.
	girinan masa	gas sandara et en Nation	ардинетори Мен	and the state of t			
8. 6. 130, 120 GV 1600 AVAILE	Sienamero escare		Service description				
S. O INTERNET PREETY VALVE	American material control	e o monte en en el constitue e		١.			
374N 37A2 6.2 "02" P. B.		Secretaria de la capación de la cap	Account of the second				
CRICK CO CRIENWAS				8			
DEN OTHERS INSTALLED BY COL	3115.00	na sat	11177	AA.	factoris acresses co		
			Sia, annual superior of sales		heranous destruction	그 문화가 되는 이 가 있다면 하다. 그런	
NOTAL MOITOGREN DESCRION HATCH	Service research control		e major established	L	no specimental		
					era v endones	[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	
GNUS & BULAN MARG ROSSINS E	Sacrament registration hills in the	[C:L]			name ti salpeti kalenda		
SAMHOOD EVENT	and the second s	Summer of the second section of the second s	11810	Sand construction	a transport		G-021
CROUNDING LUG	Santa Sa Santa Santa Sa	1.60	96	Constantino (NO)			nikas remoteration in the
(36A6 E) JIARGHAH 909A	exper	ganistic	1.00		Superior services	S SK-T-CLIMB DEVICE	
REST HANDRALL (EAT & PLATEM)	etio.	upori	11.7			Direction of the state of the s	
MANAGEN SAWARATE JAARS	108.579	0900					
				1		RI TO THE PARTY OF	A-03-1
MA GOOD SCRD COURTING	6627979/W S	9,00	1-51	1		Maje wholes a	
d. o 120, Eherr Nossre (Eak mole)		l ont	147-10	LC.		MAAG YILDIATDAJA DIRATE A	
TWAV MODSHAUM WAS	043334	ANALONIA	A-481			DUS MASCINE	and the second second second second second
SOHMAN POOR 6" AE	Author: \$7	935/2004	State of the				
By O 1804 BHETT HOSETE(ENT COMM)	8.10	2-1	'4GI				(- N. D.
NAOLAGO-WARD STEEDH DESHE DONN ON	160	2.01	V-0	1 1			Stall 1
(Note Server) BIRROW TIBER, OSI 6,7	8-0	1.41	V-11				(+34.5)
DIONNAM DIBHS 0.43	44.4	*7-,*%	W. O.	C		SISK, P. DECK WYNHOTE	myself (
NOLENCO SO		100	3	(0.60 kg) (0.60 kg)			
	очения советь Визорогия СУ	Personal and Albert 1988	accommendation of the control of the		and the second	TO THE CAMPAGNI POSTINAMING SOME	M 101 (1)